



Figure 12: Proposed jetting structure

In a nutshell, Fig.12 shows the best proposal design of jetting actuator structure for the intent on jetting small dot size and working reliability.



My name is Zhong-Quan Qiu, I was born in YanCheng city JiangSu province China in 1977. I received B.S. degree in Mechanical Engineering from NanJing University of aeronautic and astronautic in 2000. In addition I obtained M.S. degree in Mechanical Engineering from ShangHai JiaoTong University in 2015. Now I am working at Nordson China. As an engineering manager, I do charge of new products research responsibility for developing melter, hose and applicator, which are widely used in Nonwoven, packaging and product assembly business fields.

References

- [1]. B. G. Yacobi ,S. Martin , K. Davis etc, Adhesive bonding in microelectronics and photonics. *Journal of Applied Physics* 91, 6227 (2002):10-20
- [2]. Babiarz, Alec J , Jetting Small Dots of High Viscosity Fluids for Packaging Applications. *Semiconductor International*, 2006, 29(9): SP2-SP8
- [3]. Li Ruping, Nie Songlin, Yi Menglin etc, Simulation investigation on fluid characteristic of jet pipe water hydraulic servo valve based on CFD. *J Shanghai Univ (Engl Ed)*, 2011, 15(3):201-206
- [4]. Xu Xin, Jet dispensing process simulations and experimental research [D], School of electromechanical engineering Guangdong University of technology, 2014
- [5]. Xie Longhan, Zhao Xinyu, Zhang jiongming, Ansys CFX fluid simulation and analysis [M], Electronic Industry Press, 2012